

Auger control AC 600



Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com



The system is digital microprocessor controlled. It has a high intensity led indicator which monitors status, constantly lit if operational, and flashing if out of range. The system has dual output.

Specifications:

| | |
|---------------|---|
| Power supply: | 10 - 30 VDC |
| Connector: | 6 pin, 1/4 turn bayonet |
| Dual output: | NPN Proportional, ON-OFF or Current loop 0-1 Amp PNP Proportional, ON-OFF or Current loop 0-1 Amp Specials on request |
| Temperature: | Operating Temp.: -10°C - +80°C |



P/N: (AC600)

S-50505

Auger control AC 600





Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com



P/N: S-50505 / T1 (ON - OFF)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|---------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | PNP ON-OFF |
| D | White Hvid | NPN ON-OFF |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |





P/N: S-50505 / T2 (Proportional)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|---------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | PNP PROPORTIONAL |
| D | White Hvid | NPN PROPORTIONAL |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |

Auger control AC 600



Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com





P/N: S-50505 / T3 (BITELLI)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|---------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | PNP PROPORTIONAL |
| D | White Hvid | PNP ON-OFF |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |

Auger control AC 600





Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com



P/N: S-50505 / T4 (ABG Current)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|------------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | NPN ON-OFF |
| D | White Hvid | PNP CURRENT 450-800mA |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |





P/N: S-50505 / T5 (ABG Volt)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|---------------------------|
| A | Red Rød | 20-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | NPN ON-OFF |
| D | White Hvid | 3.0-5,0 V |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |

Auger control AC 600





Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com



P/N: S-50505 / T6 (Current 14-85mA)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|----------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | OFF |
| D | White Hvid | PNP CURRENT 14-85mA |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |





P/N: S-50505 / T7 (Current 85-250mA)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|-----------------------------|
| A | Red Rød | 10-30 V |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | OFF |
| D | White Hvid | PNP CURRENT 85-250mA |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |

Auger control AC 600



Kratbjerg 214
DK-3480 Fredensborg
Tel. +45 48 48 26 33
Fax +45 48 48 04 55
e-mail sales@tf-trading.com
www.tf-trading.com



P/N: S-50505 / T9 (Vögele Volt)

| Pin plug / Stik | Wire color / Lednings farve | Description / Beskrivelse |
|-----------------|-----------------------------|---------------------------|
| A | Red Rød | 20-30 V * |
| B | Black Sort | Ground / Stel |
| C | Green Grøn | OFF |
| D | White Hvid | 2,0–6,0 V |
| E | Purple Violet | RS485(A) |
| F | Yellow Gul | RS485(B) |

*) Connect to "Main traction switch on"